

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S97	10	("20020138301" "20020188509" "20030227386" "20040025030" "20040167905" "4641347" "4835372" "5867821" "6021392" "7024154").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S98	6	S97 and unique	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S99	3	S97 and unique near5 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S100	1	S97 and unique near5 activity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S101	4	("20020138301" "4835372" "5867821" "6021392").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S102	1	S101 and algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S103	103	(workplace near5 element) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S104	9	((medical hospital) near5 equipment near5 (barcode (bar adj code)) near5 scan \$4) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S105	148	((database (data adj base)) near10 scan\$4 near5 security) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S106	3	((database (data adj base)) near10 scan\$4 near10 security near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S107	38	((database (data adj base)) near10 scan\$4 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S108	132	(patient near10 scan\$4 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S109	5	(patient near10 scan\$4 near10 record\$3 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S110	1	10/549432	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S111	10	((registration adj database) same ((lookup (look adj up)) near table)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S112	38	((database) same ((lookup (look adj up)) near table) and (element near code)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S113	185	((database) same ((lookup (look adj up)) near table) same (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S114	1	(convert\$3 near5 (element adj code) near5 (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S115	195	((build\$3 creat\$3) near5 database) same ((lookup (look adj up)) near table) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S116	135	((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("705" "707" "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S117	1	10/708568 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S118	5	10/378456 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S119	6	10/027984 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S120	311	((build\$3 creat\$3 generat\$3) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S121	7	((database (data adj base)) near5 (build\$3 creat\$3 generat\$3) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S122	6	((database (data adj base)) near5 (map\$4) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S123	222	((import\$3 map\$4) near10 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S124	1	((import\$3 map\$4) near10 delimit\$3 near10 (file record field) same (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S125	91	((database (data adj base)) near10 (import\$3 map\$4) near10 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S126	1	"20030227386" and (event near10 (sensor equipment badge interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S127	33	unique near5 activity near5 code and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S129	1	(activity near5 code) same (element near5 code) same delimit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S130	25	(unique independent) near5 (activity near5 code) near5 (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S131	271	(activity) adj (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S132	220	(activity) adj (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S133	55	(activity) adj (id code) near10 (patient customer user) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S134	2	(activity) adj (id code) near10 (patient customer user) near10 unique and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S135	16	(activity) adj (id code) near10 unique and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S136	95	(activity) near5 (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S137	3107	"47" and (unique) adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S138	1	S136 and (unique) adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S139	22	S136 and (identif\$4 identification) near5 activity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S140	63	(activity) near5 (id code) and (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S141	2	(activity) near5 (id code) same (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S142	6	(activity) near5 (id code) and (patient doctor caregiver carereceiver) near5 (tool equipment) near5 activity and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S143	53	(activity) near5 index\$3 and (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S144	8	(activity) near5 index\$3 near5 (code id) and (patient doctor caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S145	8	(activity) near5 index\$3 near5 (code id) and (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S146	54	(activity) near5 (code id) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S147	75	(activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S148	25	unique and (activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S149	335	(log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S150	7	(log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) same index\$3 and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S151	1	(index) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S152	5	(unique) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker user customer consumer individual) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48

S153	2132	(unique) near5 (activity) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S154	333	(unique) near5 (activity) same (log logging record identif\$4 id) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S155	23	(unique) near5 (activity) near5 type and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S156	8	(unique) near (id identif\$6) near5 (activity) near5 type and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 12:48
S157	3	(table row) same (element item instrument) same (activity procedure) same workplace and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:22
S161	12	(table row) near5 (database (data adj base)) same (equipment element item instrument) near5 (activity procedure) and (patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:30
S162	118	(table row) near5 (database (data adj base)) and (equipment element item instrument) near5 (activity procedure) same (caretak \$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:35

S163	1	(table row) near5 (database (data adj base)) same (equipment element item instrument) near5 (activity procedure) same (caretak \$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:36
S164	1	(table row) near5 (database (data adj base)) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) same (caretak \$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:36
S165	1	(table row) near5 (database (data adj base)) same (caretak\$3 caregiv\$3 physician patient doctor hospital) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:38
S166	177	(table row) same (caretak \$3 caregiv\$3 physician patient doctor hospital) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:39
S167	237163	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:39
S168	30	S166 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:39

S170	53	(table row) same (associat \$3 link\$3 relat\$3 relation \$4) near5 (equipment element item instrument) near5 (activity procedure) and (caretak\$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:50
S173	102	(table row) same associat \$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:58
S174	42	S173 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:59
S175	39	S174 not S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 13:59
S176	1	table near5 (database (data adj base)) same (hospital medical construction workplace) near5 (equipment element item instrument) same (hospital medical construction workplace) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:09
S177	132	table same (hospital medical construction workplace) near5 (equipment element item instrument) same (hospital medical construction workplace) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:09

S178	14	S177 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:10
S179	66	table same (patient caretaker) near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:15
S180	237163	("707" "705" "709" "715"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:16
S182	4	S179 and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:16
S183	2	table same health near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:20
S187	60	(activity procedure) near5 (code id identifier) same (workplace surgical surgery medical health physican) near5 (equipment instrument tool item) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:29
S188	28	(associat\$3 link\$3 relat\$3 relation\$4) same (activity procedure) near5 (code id identifier) same (workplace surgical surgery medical health physican) near5 (equipment instrument tool item) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:29

S189	7	(activity procedure) near5 cost near5 (equipment instrument tool item) same table and (surgical surgery medical health physician) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:44
S190	56	(surgical surgery medical health physician) near5 (equipment instrument) same table and (activity procedure) near5 (name code id identifier) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:47
S193	12	(equipment instrument) same (table row form) near5 (database (data adj base)) same (activity procedure) near5 (name code id identifier) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:54
S194	1	"5,537,325".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 14:55
S195	376	(table row form) near5 (database (data adj base)) same (activity procedure) near5 (code id identifier) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:00
S196	201	S195 and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:00
S197	5	S196 and (equipment instrument) same (activity procedure) near5 (code id identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:01
S198	15	(activity procedure) adj based near5 (analysis track \$3 cost\$3) same (equipment instrument) same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:08

S199	50	(activity procedure) adj based near5 (analysis track \$3 cost\$3) same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:13
S200	35	S199 not S198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:13
S201	11	(equipment instrument) same (activity procedure) near5 (code id identifier) same row same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:20
S202	2	(search\$3 quer\$4 retriev\$3) near5 (activity procedure protocol) near5 (code id identifier) same table and (equipment instrument) near5 (activity procedure protocol) near5 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:29
S204	13	(search\$3 quer\$4 retriev\$3) near5 (activity) near5 (code id identifier) same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:50
S205	22	(activity) adj based adj cost \$3 same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 15:54
S206	8511	(activity procedure protocol) near5 (code id identifier index\$3) same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:11
S207	410	(activity procedure protocol) near5 (code id identifier index\$3) same (workplace resource organization company) same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:12

S208	164	S207 and (equipment instrument)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:12
S209	34	(activity procedure protocol) near5 (code id identifier index\$3) same (workplace resource organization company) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:13
S210	2	(activity) near5 (code id identifier index\$3) same (workplace resource organization company) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:13
S211	46	(activity) near5 (code id identifier index\$3) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:15
S212	77	(transaction) near5 (code id identifier index\$3) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:28
S213	1	S212 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:29
S214	154	(transaction) near5 (code id identifier index\$3) same table and transaction near5 (instrument equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:32

S215	2	(transaction) near5 (code id identifier index\$3) same table and transaction near5 (instrument equipment) near5 table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:33
S216	28	(transaction) near5 (code id identifier index\$3) same table and associat\$3 near5 transaction near5 (instrument equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:34
S217	55	(activity) near5 (code id identifier index\$3) same (instrument equipment) and activity same (instrument equipment) same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 16:37
S218	1	"20030227386"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/25 18:33

3/ 25/ 2009 7:23:22 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_549_432_case.
wsp